

Improvement of power characteristics in 850 nm quantum well laser with asymmetric barriers - DTU Orbit (08/11/2017)

Improvement of power characteristics in 850 nm quantum well laser with asymmetric barriers

Power and spectral characteristics of lasers with asymmetric barrier layers (ABLs) and a wide waveguide are studied. The use of ABLs reduces the saturation of light-current characteristic, associated with the parasitic recombination in the waveguide.

General information

State: Published

Organisations: Department of Photonics Engineering, Nanophotonic Devices, St. Petersburg Academic University, Virginia Polytechnic Institute and State University

Authors: Zubov, F. (Ekstern), Maximov, M. (Ekstern), Shernyakov, Y. (Ekstern), Gordeev, N. (Ekstern), Nadtochiy, A. (Ekstern), Kryzhanovskaya, N. (Ekstern), Semenova, E. (Intern), Yvind, K. (Intern), Asryan, L. (Ekstern), Zhukov, A. (Ekstern)

Pages: 565-566

Publication date: 2015

Host publication information

Title of host publication: Proceedings of 2015 IEEE Photonics Conference

Publisher: IEEE

ISBN (Print): 9781479974658

Main Research Area: Technical/natural sciences

Conference: 2015 IEEE Photonics Conference, Reston, Virginia, United States, 04/10/2015 - 04/10/2015

Photonics and Electrooptics, Charge carrier processes, Gallium arsenide, Optical pumping, Optical saturation, Radiative recombination, Temperature

DOIs:

10.1109/IPCon.2015.7323556

Source: FindIt

Source-ID: 276555831

Publication: Research - peer-review › Article in proceedings – Annual report year: 2015